

Bore Hole Number	Intercept				Grade	
	From (m)	To (m)	Interval (m)	Estimated True Width (m)	U <sub>3</sub> O <sub>8</sub> %	U <sub>3</sub> O <sub>8</sub> lb/st
ARW-001	27.0	29.5	2.5	2.5	0.074	1.48
	32.0	40.0	8.0	7.9	0.094	1.88
	50.5	53.0	2.5	2.5	0.072	1.44
	72.0	73.0	1.0	1.0	0.097	1.94
ARW-002	23.5	26.5	3.0	3.0	0.107	2.14
	37.0	38.5	1.5	1.5	0.096	1.92
	57.5	61.0	3.5	3.4	0.111	2.22
	69.0	71.0	2.0	2.0	0.161	3.22
	73.0	75.0	2.0	2.0	0.066	1.32
ARW-003	118.5	127.5	9.0	8.9	0.096	1.92
	122.0	125.0	3.0	3.0	0.130	2.60
ARW-004	56.5	57.5	1.0	1.0	0.128	2.56
	87.5	89.5	2.0	2.0	0.104	2.08
ARW-005	42.0	45.5	3.5	3.5	0.072	1.44
	48.0	60.0	12.0	12.0	0.118	2.36
ARW-006	21.0	24.0	3.0	3.0	0.038	0.76
ARW-007	28.0	36.0	8.0	8.0	0.062	1.24
	55.5	82.5	27.0	27.0	0.081	1.62
	59.0	70.0	11.0	11.0	0.129	2.58
ARW-008	86.0	94.0	8.0	8.0	0.045	0.90
	112.5	121.5	9.0	9.0	0.171	3.42
	118.0	121.0	3.0	3.0	0.411	8.22
	124.0	126.0	2.0	2.0	0.071	1.42
ARW-009	36.5	37.5	1.0	1.0	0.409	8.18
	71.5	91.5	20.0	20.0	0.082	1.64
	77.5	83.0	5.5	5.5	0.110	2.20
ARW-010	No Significant Results					
ARW-011	25.0	31.0	6.0	6.0	0.060	1.20
ARW-012	41.0	47.0	6.0	6.0	0.062	1.24
ARW-013	52.0	78.0	26.0	25.6	0.124	2.48
ARW-014	17.0	38.0	21.0	21.0	0.045	0.90
	55.0	74.0	19.0	19.0	0.068	1.36
ARW-015	62.0	74.0	12.0	11.8	0.047	0.94
ARW-016	34.0	36.0	2.0	2.0	0.068	1.36